



DAIRY PASTURE PREPARTUM

Class: Dry Cow + Anionic Salts

Registration: V20665

Wet/Act 36 of 1947

COMPOSITION			
Protein	140	g/kg	Min.
Non-protein nitrogen	(Max. 44.6 % of protein)		
Moisture	120	g/kg	Max.
Fat	25	g/kg	Min.
Fat	85	g/kg	Max.
Fibre	120	g/kg	Max.
Calcium (Ca)	30	g/kg	Min.
Calcium (Ca)	40	g/kg	Max.
Phosphorus (P)	8.5	g/kg	Min.
NETT MASS 50 kg			

INGREDIENT STATEMENT

May Contain: Grain Products, Plant Protein Products, Animal Protein Products, Processed Grain By-Products, Oils and Fats, Vitamins and Minerals.

FEEDING RECOMMENDATIONS

Feed between 2 to 4 kg per cow per day during the 3 weeks before calving. Feed with pasture and/or roughage. The quantity of concentrate will depend on: 1) the quality of the pasture/roughage and 2) cow condition.

WARNING:

THIS FARM FEED MAY CONTAIN A NPN SOURCE AND / OR REGISTERED STOCK REMEDIES. FEED STRICTLY ACCORDING TO INSTRUCTIONS. SEE ATTACHED STOCK REMEDY LABELS FOR FURTHER DETAIL.

Registration Holder

QUANTUM FOODS (PTY) LTD
Reg. No. 2012/124966/07
PO Box 1183, WELLINGTON, 7654
Tel.: (021) 864 8600

Batch no.:

Expiry date:

Date of manufacture:

Best before:

Contains genetically modified organisms

NPN WARNING

- 1. VINEGAR IS AN EFFECTIVE REMEDY AGAINST NPN POISONING. MIX WITH AN EQUAL AMOUNT OF WATER. DOSE HALF A BOTTLE PER CALF OR LARGE SHEEP OR 2-4 BOTTLES PER HEAD OF CATTLE. (1 BOTTLE = 750ML)**
- 2. PROTECT THIS FARM FEED AGAINST RAIN. NPN IS SOLUBLE AND ANIMALS DRINKING SUCH A SOLUTION COULD BE POISONED.**
- 3. DO NOT FEED THIS FARM FEED INDISCRIMINATELY WITH OTHER NPN CONTAINING FARM FEEDS. CONSULT AN ANIMAL SCIENTIST.**
- 4. ADAPTATION: WHEN CHANGING FROM A NPN-FREE DAIRY MEAL TO A NPN-CONTAINING MEAL IT IS ADVISABLE TO FEED A 50/50 MIXTURE OVER A PERIOD OF 4-6 DAYS.**
- 5. DAIRY MEAL MUST BE FED TWO OR THREE TIMES DAILY.**