



## HPC DRY COW

**Class:** Concentrated Dry Cow Feeds

**Registration:** V23510

Wet/Act 36 of 1947

COMPOSITION			
Protein	190	g/kg	Min.
Prot. % ex NPN	34.7 % of protein		Max
Moisture	120	g/kg	Max.
Fat	20	g/kg	Min.
Fat	60	g/kg	Max.
Fibre	120	g/kg	Max.
Calcium (Ca)	3.5	g/kg	Min.
Calcium (Ca)	10	g/kg	Max.
Phosphorus (P)	8	g/kg	Min.
Urea	23	g/kg	Max.

**NETT MASS 50 kg**

### INGREDIENT STATEMENT

Contains: Grain Products, Plant Protein Products, Animal Protein Products, Processed Grain By-Products, Oils & Fats, Vitamins & Minerals.

### FEEDING RECOMMENDATIONS

(1) Adaptation: When changing from a NPN-free dairy meal to a NPN-containing meal it is advisable to feed a 50/50 mixture over a period of 4-6 days.

(2) Dairy meal must be fed two or more times daily.

(3) Mix this concentrate with maize (see mixing instructions) to obtain a dry cow meal. Feed the dry cow meal at 6.5 – 7 kg per day to far off dry cows for a period of approximately 60 days before expected calving date. Feed with roughage and/or pastures. The quantity of dry cow meal fed will depend on the quality and quantity of the available grazing and/or roughage and the age of the animal.

### Registration Holder

QUANTUM FOODS (PTY) LTD

Reg. No. 2012/124966/07

PO Box 1183, WELLINGTON, 7654

Tel.: (021) 864 8600

Batch no.:

Expiry date:

Date of manufacture:

Contains genetically modified organisms

### WARNING:

**THIS FARM FEED CONTAINS A NPN SOURCE AND / OR REGISTERED STOCK REMEDIES. FEED STRICTLY ACCORDING TO INSTRUCTIONS. SEE ATTACHED STOCK REMEDY LABELS FOR FURTHER DETAIL.**

### MIXING INSTRUCTIONS

HPC Dry Cow	680 kg
Maize meal (Prot : 75 g/kg)	320 kg
TOTAL	1000 kg

### COMPOSITION OF MIXTURE

Protein	150	g/kg	Min.
Prot. % ex NPN	(Max. 29.8 % of protein)		
Moisture	120	g/kg	Max.
Fat	25 / 85	g/kg	Min. / Max.
Fibre	120	g/kg	Max.
Calcium (Ca)	2.5 / 8	g/kg	Min. / Max.
Phosphorus (P)	6	g/kg	Min.
Urea	15.6	g/kg	Max.

**NETT MASS 50 kg**

### NPN WARNING

- VINEGAR IS AN EFFECTIVE REMEDY AGAINST NPN POISONING. MIX WITH AN EQUAL AMOUNT OF WATER. DOSE HALF A BOTTLE PER CALF OR LARGE SHEEP OR 2-4 BOTTLES PER HEAD OF CATTLE. (1 BOTTLE = 750ML)**
- PROTECT THIS FARM FEED AGAINST RAIN. NPN IS SOLUBLE AND ANIMALS DRINKING SUCH A SOLUTION COULD BE POISONED.**
- DO NOT FEED THIS FARM FEED INDISCRIMINATELY WITH OTHER NPN CONTAINING FARM FEEDS. CONSULT AN ANIMAL SCIENTIST.**
- ADAPTATION: WHEN CHANGING FROM A NPN-FREE DAIRY MEAL TO A NPN-CONTAINING MEAL IT IS ADVISABLE TO FEED A 50/50 MIXTURE OVER A PERIOD OF 4-6 DAYS.**
- DAIRY MEAL MUST BE FED TWO OR THREE TIMES DAILY.**