



PREMAX MS

Class: Concentrated Dry Cow + Anionic Salts

Registration: V27957

Wet/Act 36 of 1947

COMPOSITION			
Crude protein	250	g/kg	Min.
Urea	10	g/kg	Max.
Prot. % ex NPN	(Max 30 % of Protein)		
Moisture	120	g/kg	Max.
Crude fat	25 / 85	g/kg	Min./ Max.
Crude fibre	160	g/kg	Max.
Calcium	30 / 40	g/kg	Min./ Max.
Phosphorus	6	g/kg	Min.
NETT MASS 50 kg			

INGREDIENT STATEMENT

Contains: Processed Grain By-Products, Grain Products, Plant Protein Products, Animal Protein Products, Oils & Fats, Nutritional Additives, Zootechnical Additives, Minerals, Vitamins & NPN Sources

FEEDING RECOMMENDATIONS

Feed 5-6 kg per day to dry cows for a period of 21 days pre-partum. Feed with maize silage as main roughage source. The quantity of concentrate will depend on the quality of the roughage.

WARNING:

THIS FARM FEED CONTAINS REGISTERED STOCK REMEDIES, .FEED STRICTLY ACCORDING TO INSTRUCTIONS.

Registration Holder

QUANTUM FOODS (PTY) LTD

Reg. No. 2012/124966/07

PO Box 1183, WELLINGTON, 7654

Tel.: (021) 864 8600

Batch no.:

Expiry date:

Date of manufacture:

Contains genetically modified organisms

NPN WARNING

1. VINEGAR IS AN EFFECTIVE REMEDY AGAINST NPN POISONING. MIX WITH AN EQUAL AMOUNT OF WATER. DOSE HALF A BOTTLE PER CALF OR LARGE SHEEP OR 2-4 BOTTLES PER HEAD OF CATTLE. (1 BOTTLE = 750ML)
2. PROTECT THIS FARM FEED AGAINST RAIN. NPN IS SOLUBLE AND ANIMALS DRINKING SUCH A SOLUTION COULD BE POISONED.
3. DO NOT FEED THIS FARM FEED INDISCRIMINATELY WITH OTHER NPN CONTAINING FARM FEEDS. CONSULT AN ANIMAL SCIENTIST.
4. ADAPTATION: WHEN CHANGING FROM A NPN-FREE DAIRY MEAL TO A NPN-CONTAINING MEAL IT IS ADVISABLE TO FEED A 50/50 MIXTURE OVER A PERIOD OF 4-6 DAYS.
5. DAIRY MEAL MUST BE FED TWO OR THREE TIMES DAILY.